




Sauna 160, Ø200

**NB! Please read whole manual
before start.**


**All given measurements
are in millimeters!**




(PES)




(TKE)




(PTS)



(PK)





Front glass wall installation Ø200





Baseframe 28mm.




Use piece of wood to protect plywood




Front glass wall installation Ø200




Coverframe 15mm.




Front glass wall installation Ø200




I



II




III



CAUTION!
Do not hit the glass
with the screw.


**NB! Cover frame
MUST remain outside.**





IV

Install front glass-wall same way
as instructed in main manual.


Front glass wall installation Ø200



NB! Check Your el.heater user manual to find correct measurements and cut DET X to the correct size.




I




NB! Be careful, do not hit the glass!


Proceed with main installation manual!




Wooden back wall assembly



Cut board from pallet
L= ~1900 mm.



I




II







Details list.




Sauna 160, Ø200




Sauna 160, Ø200




Sauna 160, Ø200



I



II



Sauna 160, Ø200




Check walls installation manual on extra pages!



Sauna wall configuration depends on Your model!

DET 3


Fix temporarily to support walls.



Important! Leave the gap ~7 mm.




Sauna 160, Ø200





See the next page.


Sauna 160, Ø200




I





II










Sauna 160, Ø200




Sauna 160, Ø200



Sauna 160, Ø200




Sauna 160, Ø200



I


X= Front wall thickness
Wooden front wall 28mm.
Glass front wall 42mm.



10.




II

Sauna 160, Ø200




Sauna 160, Ø200



NB! Check also shingles installation manual inside shingles package.



Sauna 160, Ø200



I



II

• Remove DET A •